

eps

EUROPEAN POSTAL SYSTEMS LTD

# Mailmax II

COMTOUCH

**Mailmax II** Digital technology, upgradeable step by step to a fully automatic intelligent franking system.



Royal Mail

Approved suppliers and maintainers  
of franking machines



Approved suppliers and maintainers  
of franking machines

# Mailmax Digital technology, upgradeable step by step to a fully automatic intelligent franking system.

## Mailmax. Key features in brief.

Letter thicknesses up to 8mm  
(dependent on content).  
9 programmable fixed values.  
Up to 250 password protected  
cost centres with resettable value  
and itemcounters.

Special tariff calculation program  
and postal franking data  
captioning. Automatic  
date change. Programmable  
high-value blocking.

Eight storable advertising clichés.  
Automatic tariff calculation.

Franking speeds:

Mailmax II speed up to 10,000/hr

### More options:

Tariff loading box for postal tariff  
changes, S weighing  
platforms. Franking statistics



**ComTouch™.** One touch. One finger. That's all you need to perform the most important franking functions.

Menu guided through every step of the franking process. That's System Intelligence by EPS

High quality ink-jet technology transfers postal data and advertising messages to paper precisely, sharp and smear free.

And variable two dimensional data matrix barcodes too benefit from the high print quality.

Capture statistical data quickly and easily by costcentre and print it out directly from Mailmax onto record cards.



## Mailmax: Maximum modularity, maximum efficiency.

Mailmax. Franking with the newest technology. Digital all the way from ComTouch™ to high-quality ink-jet printing. Modular from the basic model right up to the fully automatic Mailmax II franking system. Modular in function, too. Each function is individually programmable via ComTouch™. For example, automatically apply all your most used mail categories in line with the latest postal regulations (tariff identifications) with a single keystroke. Who's using which mail services most? Obtain an overview quickly and easily at any time. Print out an overall postage expense report directly from the franking system or analyse it in detail on your PC. The answer to every need you have today, tomorrow and in the foreseeable future is already integrated in Frama's Mailmax system. Incl. postal rate calculation, automatic date change, franking cost statistics and easy change of advertising message. Behind it all the way is the Frama philosophy of relevant innovation, one that delivers crucial and exclusive advantages to you every working day maximum performance with minimised overheads.



**Touch it!** The exclusive Frama ComTouch™ springs to life, immediately displays every function you need and guides you through the entire franking process step by menu guided step. That's System Intelligence.



**Expand Mailmax** add the automatic tariff calculation and S weighing platform options to optimise your mailroom operation stack-weigh, calculate postage and print the frank, all in one!



Approved suppliers and maintainers  
of franking machines

## Mailmax II The full auto-feed system.

### Mailmax II speed

This version is the fully automatic system. Its automatic Feeder/Sealer makes franking even faster and easier up to 10,000 letters can be ready to dispatch within one hour stamped, carrying all the necessary postal information, even automatically sealed if you wish.



### Frama Online fully automates the entire data management.

It determines individual costs, evaluates volumes to get the best rebates and downloads remote credit via modem. Does everything reliably, quickly, simply and comfortably. Advertising clichés and new postal tariffs can be easily loaded into the system by means of special reading boxes. Who sent how many mail items, when and at what cost? Frama franking statistics software lets you analyse any period you choose. Broken down by cost-centre, postal category, destination and mailing method.



**Frama Mailmax II.** Expand it to a fully automatic franking system step by step at any time. You benefit above all from time- and cost-saving modules like the Feeder/ Sealer options. Process up to 10,000 letters per hour, perfectly franked and if you wish it firmly sealed. In every envelope format and up to 8 mm thick. All without lifting a single finger.



Modularity enables flexible automatic letter-feeding, too. Add the optional foldout table and Mailmax handles stacked large-size envelopes, even those addressed in portrait format. Sealing letters firmly? No problem. Add the Mailmax II Sealer option. You'll save time and effort lots of it! And you can take off the water container for refilling in a single action. The system waits, restarts immediately it's ready again.



**EUROPEAN POSTAL SYSTEMS LIMITED**

Unit B2  
Lomer Farm Industrial Estate  
Wrotham Road  
Meopham  
Kent DA13 0AN



Approved suppliers and maintainers  
of franking machines

Tel: 01474 815850  
Fax: 01474 815860  
Web: [www.europeanpostalsystems.co.uk](http://www.europeanpostalsystems.co.uk)  
Email: [sales@europeanpostalsystems.co.uk](mailto:sales@europeanpostalsystems.co.uk)

N.B. Specifications in this leaflet are subject to change without notice, as part of our programme of continuous improvement.